


INFORMATION ONLY




INFORMATION ONLY

AIR VENT
Location and Installation
by others
MINIMUM 144sq/in.



Noncombustible
Chimney Chase
by others.
Use Metal Studs
& Cement Board.



NOTE: Hearth Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT HEACOCK

CONTRACT

VIEW FRONT


PAGE

MODEL KTU2100L

DRAWN BY D.P.BYRAM

DATE 3/25/03

1950mm [76.8in]



Noncombustible
Chimney Chase
by others.
Use Metal Studs
& Cement Board

75mm[3.0in] Heat Shield
by Mid-Atlantic

Combustible Wall

90mm[3.5in] Air Intake
Must be kept open.

INFORMATION ONLY




MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT HEACOCK
MODEL KTU2100L

CONTRACT
DRAWN BY D.P.BYRAM

VIEW SIDE
DATE 3/25/03

PAGE 3



NOTE: Hearth Tiles CUT AND INSTALLED by others

INFORMATION ONLY



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416

PROJECT HEACOCK
 MODEL KTU2100L

CONTRACT
 DRAWN BY D.P.BYRAM


VIEW PLAN
 DATE 3/25/03

PAGE 4

CAPPING SLAB


Minimum Dimensions--2" from Base of Unit

INFORMATION ONLY



NOTE:
 TOP OF CAPPING SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR
 Tolerances: +/- 1/8" No additional cost to adjust slab
 +/- 1/4" \$150.00-\$200.00 additional cost to adjust slab
 +/- 1/2" \$500.00 additional cost to adjust slab

UNIT WEIGHT: ___ lbs.
 Contractor is responsible for engineering capping slab to support weight of fireplace.

TULIKIVI 	MID-ATLANTIC MASONRY HEAT 1229 Harris Street Suite 1 Charlottesville, VA 22903 (434)979-9709 Fax 434-979-6416	PROJECT HEACOCK	CONTRACT	VIEW SUPPORT	PAGE 5
	MODEL KTU2100L	DRAWN BY D.P.BYRAM	DATE 3/25/03		