


INFORMATION ONLY



NOTE: Hearth and Wall Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416


PROJECT ANDERSON
 MODEL TTU2700/2

CONTRACT
 DRAWN BY D.P.BYRAM

VIEW PERSPECTIVE
 DATE 11/25/02

PAGE 1

INFORMATION ONLY



NOTE: Hearth and Wall Tiles CUT AND INSTALLED by others




MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT ANDERSON
MODEL TTU2700/2

CONTRACT
DRAWN BY D.P.BYRAM


VIEW PERSPECTIVE
DATE 11/25/02

PAGE




INFORMATION ONLY

INFORMATION ONLY



8" I.D./10" O.D. Double Wall
Stainless Steel Flue Pipe
by others
MINIMUM 2" clearance
to combustibles

Noncombustible Wall:
No combustible material
WITHIN 10" of TOP of Fireplace.



Main Damper Control
Bypass Damper Control

Noncombustible Wall

2190mm [86.2in]


1290mm [50.8in]

INFORMATION ONLY

Plan View

*From SIDE of Fireplace—
MINIMUM 14" clearance
to combustibles.
355mm [14.0in]

*From SIDE of Fireplace—
MINIMUM 14" clearance
to combustibles.
355mm [14.0in]



1560mm [61.4in]
1860mm [73.2in]
2271mm [89.4in]
Rough Opening to Combustible Material

NOTE: Hearth Tiles CUT AND INSTALLED by others

8".D./10"O.D.
Double Wall Steel Flue Pipe
by others
*MINIMUM 2" clearance to combustibles


Noncombustible Wall:
Use Metal Studs & Cement Board

Wood Studs

INFORMATION ONLY

Wall Elevation

Rough Opening Dimensions




INFORMATION ONLY

NOTE:
 MINIMUM 14" clearance to combustible material from SIDES OF HEATED BENCH.
 MINIMUM 10" clearance to combustible material from TOP OF FIREPLACE.

INFORMATION ONLY

CAPPING SLAB

Minimum Dimensions--2" from Base of Unit
 55 inches x 65.5 inches



NOTE:
 TOP OF CAPPING SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR
 Tolerances: +/- 1/8" No addition cost to adjust slab
 +/- 1/4" \$150.00-\$200.00 additional cost to adjust slab
 +/- 1/2" \$500.00 additional cost to adjust slab

UNIT WEIGHT: Approx. 10,000lbs.

Contractor is responsible for engineering capping slab to support weight of fireplace.



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416

PROJECT
 ANDERSON
 MODEL
 TTU2700/2

CONTRACT
 DRAWN BY
 D.P.BYRAM

VIEW
 SUPPORT
 DATE
 11/25/02

PAGE