



# INFORMATION ONLY



NOTE: Hearth Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT  
1229 Harris Street Suite 1  
Charlottesville, VA 22903  
(434)979-9709 Fax 434-979-6416


PROJECT ANIKIS  
MODEL TTU2700/4

CONTRACT 5641  
DRAWN BY D.P.BYRAM

VIEW PERSPECTIVE  
DATE 4/01/04

PAGE 1

FRONT VIEW



**INFORMATION ONLY**

NOTE: Hearth Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT  
 1229 Harris Street Suite 1  
 Charlottesville, VA 22903  
 (434)979-9709 Fax 434-979-6416


PROJECT ANIKIS  
 MODEL TTU2700/4

CONTRACT 5641  
 DRAWN BY D.P.BYRAM

VIEW FRONT  
 DATE 4/01/04

PAGE 2

SIDE VIEW



**INFORMATION ONLY**

NOTE: Hearth Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT  
 1229 Harris Street Suite 1  
 Charlottesville, VA 22903  
 (434)979-9709 Fax 434-979-6416

PROJECT ANIKIS  
 MODEL TTU2700/4


CONTRACT 5641  
 DRAWN BY D.P.BYRAM

VIEW SIDE  
 DATE 4/01/04

PAGE 3

1530mm [60.2in]

1230mm [48.4in]



2100mm [82.7in]

1800mm [70.9in]

8" I.D./10" O.D. Double Wall  
Stainless Steel Flue Pipe  
by others  
SEE PAGE 5 FOR  
FLUE LOCATION

NOTE: Hearth Tiles CUT AND INSTALLED by others

# INFORMATION ONLY



MID-ATLANTIC MASONRY HEAT  
1229 Harris Street Suite 1  
Charlottesville, VA 22903  
(434)979-9709 Fax 434-979-6416

PROJECT ANIKIS  
MODEL TTU2700/4


CONTRACT 5641  
DRAWN BY D.P.BYRAM

VIEW PLAN  
DATE 4/01/04

PAGE

# FOUNDATION SLAB

Minimum 4" Thick Poured Concrete With Rebar 6"O.C.  
 Minimum Dimensions--2" from Base of Unit



**FLUE LOCATION:**  
 26 $\frac{1}{4}$ " x 37 $\frac{1}{2}$ " From Lower Right Corner of  
 Foundation Slab to CENTER of Flue Pipe.

**INFORMATION ONLY**

**NOTE:**  
 TOP OF FOUNDATION SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR  
 Tolerances: +/- 1/8" No additional cost to level slab  
 +/- 1/4" \$150.00-\$200.00 additional cost to level slab  
 +/- 1/2" \$500.00 additional cost to level slab

**UNIT WEIGHT: 8400lbs.**

Owner/Contractor is responsible for engineering Foundation Slab to support weight of fireplace.



MID-ATLANTIC MASONRY HEAT  
 1229 Harris Street Suite 1  
 Charlottesville, VA 22903  
 (434)979-9709 Fax 434-979-6416

PROJECT ANIKIS  
 MODEL TTU2700/4

CONTRACT 5641  
 DRAWN BY D.P.BYRAM


VIEW SUPPORT  
 DATE 4/01/04

PAGE

5

FOUNDATION SLAB:  
 \* MINIMUM 4" THICK  
 WITH REBAR 6" O.C.  
 \* NON-COMBUSTIBLE  
 CEMENT BOARD  
 under foundation slab  
 (NOT PLYWOOD)


**INFORMATION ONLY**



FOUNDATION SLAB:  
 MINIMUM 4" THICK  
 POURED CONCRETE  
 WITH REBAR 6" O.C.

NON-COMBUSTIBLE  
 CEMENT BOARD  
 UNDER FOUNDATION  
 SLAB (NOT PLYWOOD)

NOTE:  
 TOP OF FOUNDATION SLAB TO BE LEVEL  
 AND FLUSH WITH SUB-FLOOR  
 Tolerances:  
 +/- 1/8" No additional cost  
 to level slab  
 +/- 1/4" \$150.00-\$200.00 additional  
 cost to level slab  
 +/- 1/2" \$500.00 additional cost  
 to level slab



UNIT WEIGHT: 8400lbs.  
 Owner/Contractor is responsible for engineering Foundation Slab to support weight of fireplace.

