

INFORMATION ONLY

NOTE: Hearth Tiles CUT AND INSTALLED by others




MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416

PROJECT BEZEREDI
 MODEL TTU2700/1

CONTRACT
 DRAWN BY D.POWLEY

VIEW PERSPECTIVE
 DATE 10/15/02

PAGE 1



INFORMATION ONLY



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416


PROJECT BEZEREDI
MODEL TTU2700/1

CONTRACT
DRAWN BY D.POWLEY

VIEW FRONT
DATE 10/15/02

PAGE 2

Sheetrock Chimney Chase
by others
NO combustible material
WITHIN 10" OF TOP OF FIREPLACE.



INFORMATION ONLY



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416


PROJECT BEZEREDI
MODEL TTU2700/1

CONTRACT
DRAWN BY D.POWLEY

VIEW SIDE
DATE 10/15/02

PAGE 3


NOTE: Hearth Tiles CUT AND INSTALLED by others
 Flue Pipe: 8" I.D./10" O.D. Double Wall Stainless Steel by others



8" I.D./10" O.D. Double Wall Stainless Steel Flue Pipe by others

Sheetrock Chimney Ch by others NO Combustible material WITHIN 10" OF FIREPLACE


INFORMATION ONLY

TULIKIVI 	MID-ATLANTIC MASONRY HEAT 1229 Harris Street Suite 1 Charlottesville, VA 22903 (434)979-9709 Fax 434-979-6416	PROJECT	BEZERED!	CONTRACT	VIEW	PLAN	PAGE 4
		MODEL	TTU2700/1	DRAWN BY	D.POWLEY	DATE	

CAPPING SLAB

Minimum Dimensions--2" from Base of Unit

INFORMATION ONLY



NOTE:

TOP OF CAPPING SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR

- Tolerances: +/- 1/8" No additional cost to adjust slab
- +/- 1/4" \$150.00-\$200.00 additional cost to adjust slab
- +/- 1/2" \$500.00 additional cost to adjust slab

UNIT WEIGHT: Approx. 10,000lbs.

Contractor is responsible for engineering capping slab to support weight of fireplace.



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT BEZEREDI
MODEL TTU2700/1

CONTRACT
DRAWN BY D.POWLEY

VIEW SUPPORT
DATE 10/15/02

PAGE

5