


Revision: 1 Date: 1/16/03 By: DPB

Revision: 2 Date: 3/14/03 By: DPB

INFORMATION ONLY



NOTE: Hearth Tiles CUT AND INSTALLED by others.



MID-ATLANTIC MASONRY HEAT
 McIntire Business Park
 Charlottesville, VA 22903

(434)979-9707 Fax 434-979-6416

PROJECT PARSONS

MODEL TTU2700/1

CONTRACT 5298

DRAWN BY D.POWLEY

VIEW ISOMETRIC

DATE 12/09/02

PAGE

1

Revision: 1 Date: 1/16/03 By: DPB


Revision: 2 Date: 3/14/03 By: DPB

INFORMATION ONLY

8" I.D./10" O.D.
Double Wall
Stainless Steel
Flue Pipe
by others

Main Damper Control

Bypass Damper Control



NOTE: Hearth Tiles CUT AND INSTALLED by others.



MID-ATLANTIC MASONRY HEAT
McIntire Business Park
Charlottesville, VA 22903
(434)979-9707 Fax 434-979-6416

PROJECT PARSONS
MODEL TTU2700/1


CONTRACT 5298
DRAWN BY D.POWLEY

VIEW FRONT
DATE 12/09/02

PAGE 2

Revision: 1	Date: 1/16/03	By: DPB
Revision: 2	Date: 3/14/03	By: DPB

INFORMATION ONLY




NOTE: Hearth Tiles CUT AND INSTALLED by others.

	MID-ATLANTIC MASONRY HEAT McIntire Business Park Charlottesville, VA 22903 (434)979-9707 Fax 434-979-6416	PROJECT PARSONS MODEL TTU2700/1	CONTRACT 5298 DRAWN BY D.POWLEY	VIEW SIDE DATE 12/09/02	PAGE 3

Revision: 1	Date: 1/16/03	By: DPB
Revision: 2	Date: 3/14/03	By: DPB

PLAN VIEW

INFORMATION ONLY



NOTE: Hearth Tiles CUT AND INSTALLED by others.


Revision: 1	Date: 1/16/03	By: DPPB
Revision: 2	Date: 3/14/03	By: DPPB

CAPPING SLAB

Minimum Dimensions—2" from Base of Unit

65 1/2 inches

54 3/4 inches



INFORMATION ONLY

UNIT WEIGHT: Approx. 9,000lbs.
Contractor is responsible for engineering capping slab to support weight of fireplace.

NOTE:
TOP OF CAPPING SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR
Tolerances: +/- 1/8" No addition cost to adjust slab
+/- 1/4" \$150.00 additional cost to adjust slab
+/- 1/2" \$500.00 additional cost to adjust slab



MID-ATLANTIC MASONRY HEAT
McIntire Business Park
Charlottesville, VA 22903
(434)979-9707 Fax 434-979-6416

PROJECT PARSONS
MODEL TTU2700/1

CONTRACT 5298
DRAWN BY D.POWLEY

VIEW SUPPORT
DATE 12/09/02

PAGE

5