


INFORMATION ONLY



NOTE: Hearth Tiles CUT AND INSTALLED by others



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416


PROJECT GRIGG
 MODEL TU2200/1

CONTRACT
 DRAWN BY D.P.BYRAM

VIEW PERSPECTIVE
 DATE 1/14/03

PAGE 1

INFORMATION ONLY



INFORMATION ONLY

Combustible Log Wall
by others.

75mm[3.0in] Heat Shield
by Mid-Atlantic


1650mm [65.0in]

600mm [23.6in]

90mm[3.5in] Air Intake
*MUST be kept open

7" I.D./9" O.D. Double Wall
Stainless Steel
Flue Pipe
by others.
MINIMUM 2"
clearance
to combustibles.

INFORMATION ONLY



NOTE: Hearth Tiles CUT AND INSTALLED by others

See Page(s) 8 & 9 for Flue Detail



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416

PROJECT GRIGG
 MODEL TU2200/1

CONTRACT
 DRAWN BY D.P.BYRAM

VIEW PLAN
 DATE 1/14/03

PAGE


4

CAPPING SLAB

Minimum Dimensions--2" from Base of Unit

INFORMATION ONLY

COMBUSTIBLE LOG WALL



NOTE:

TOP OF CAPPING SLAB TO BE LEVEL AND FLUSH WITH SUB-FLOOR

- Tolerances: +/- 1/8" No additional cost to adjust slab
- +/- 1/4" \$150.00-\$200.00 additional cost to adjust slab
- +/- 1/2" \$500.00 additional cost to adjust slab

UNIT WEIGHT: Approx. 5000lbs.

Contractor is responsible for engineering capping slab to support weight of fireplace.



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT GRIGG
MODEL TU2200/1

CONTRACT
DRAWN BY D.P.BYRAM

VIEW SUPPORT
DATE 1/14/03

PAGE

5