


Existing Fireplace



Soapstone Hearth Tile: Cut & Installed by others.

REQUIRED:

Tulikivi's UL Listing requires minimum non-combustible hearth extension of 16" in front of the firebox door and 4" beyond either side of the firebox door.



MID-ATLANTIC MASONRY HEAT
1229 Harris Street Suite 1
Charlottesville, VA 22903
(434)979-9709 Fax 434-979-6416

PROJECT MacAYEAL
MODEL TU1000


CONTRACT 5701
DRAWN BY D.P.Byram

VIEW PERSPECTIVE
DATE 2/8/05

PAGE 1

FRONT VIEW

Existing Fireplace



Damper Control →

Existing Hearth

Soapstone Hearth Extension by Mid-Atlantic

Soapstone Hearth Tile: Cut & Installed by others.

REQUIRED:

Tulikivi's UL Listing requires minimum non-combustible hearth extension of 16" in front of the firebox door and 4" beyond either side of the firebox door.



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416


PROJECT MacAYEAL
 MODEL TU1000

CONTRACT 5701
 DRAWN BY D.P.Byram

VIEW FRONT
 DATE 2/8/05

PAGE 2

SIDE VIEW



Soapstone Hearth Tile: Cut & Installed by others.

REQUIRED:

Tulikivi's UL Listing requires minimum non-combustible hearth extension of 16" in front of the firebox door and 4" beyond either side of the firebox door.



MID-ATLANTIC MASONRY HEAT
 1229 Harris Street Suite 1
 Charlottesville, VA 22903
 (434)979-9709 Fax 434-979-6416


PROJECT MacAYEAL
 MODEL TU1000

CONTRACT 5701
 DRAWN BY D.P.Byram

VIEW SIDE
 DATE 2/8/05

PAGE 3


PLAN VIEW



Flue Location is 6 inches offset from the center of the fireplace. If needed, flue can be offset up to 12 inches to the right. If greater offset is needed, contact Mid-Atlantic for revised drawings and installation pricing.

REQUIRED:
Tulikivi's UL Listing requires minimum non-combustible hearth extension of 16" in front of the firebox door and 4" beyond either side of the firebox door.

Soapstone Hearth Tile: Cut & Installed by others.

| | | | | | | | | |
|--|--|---------|----------|----------|-----------|------|--------|-----------|
|  | MID-ATLANTIC MASONRY HEAT 1229 Harris Street Suite 1 Charlottesville, VA 22903 (434)979-9709 Fax 434-979-6416 | PROJECT | MacAYEAL | CONTRACT | 5701 | VIEW | PLAN | PAGE 4 |
| | | MODEL | TU1000 | DRAWN BY | D.P.Byram | DATE | 2/8/05 | |