

2007 - 2008

Lightweight fireplaces

TULIKIVI
It's such a cold, cold world





Tulikivi lightweight fireplaces

These fireplaces occupy a unique position between the standard Tulikivi fireplaces with many thousand pounds of thermal mass storage, and the traditional wood stove with almost no heat storage. The significant soapstone mass (800 to 1600 pounds) surround-

ing the steel fireplace core, moderates the ambient air temperature in the room. The warmth is far more even and gentle than the boom or bust heat from a traditional wood stove, or for that matter, other single skinned soapstone stoves having less soapstone mass.

Significant amounts of heat are stored and will continue to radiate from the fireplace long after the fire has burned out. The surface temperature runs cooler and is safer around children and pets.



ZEVI

KIISA

HETTA


Versatile lightweight fireplaces

Tulikivi fireplaces are easy on the eye and blend in well with any style. The light grey color complements any surrounding color scheme. The fireplace becomes a piece of well loved furniture and a wonderful focal point for the home.

The heart of a Tulikivi lightweight fireplace is its fire-box, utilizing high temperature ceramic and insulating materials, that ensures a clean burning fire and meets EPA testing standards. The large glass doors provide excellent fire viewing for those cozy evenings around the fire. The fireplace core design provides for a rapid source of con-

vective heat in addition to the slower radiant heat from the soapstone mass. This is especially welcome on a cold winter evening when an extra source of heat is needed quickly to augment the homes primary heat system.

A Tulikivi lightweight fireplace can be installed on a combustible surface if a non-combustible pad (for example tile or metal) is provided underneath and projects from the sides and the front to form the required hearth extension. Always ensure that the floor structure can carry the weight of the fireplace. Contact your Tulikivi dealer for exact installation specifications.



MODELS	DIMENSIONS			HEATING TECHNOLOGY		FLUE CONNECTION
	Weight (lbs)	External dimensions width/depth/height (inch)	Dimensions of the fireplace firebox width/depth (inch)	Maximum amount of wood per hour (lbs/hr)	Output (Btu/hr)	Recommended flue size (inch)
LIGHTWEIGHT FIREPLACES						
HETTA	2134*	33 ¹ / ₈ / 27 ¹ / ₂ / 60 ⁵ / ₈ *	18 ¹ / ₈ / 14 ⁵ / ₈	4	12,084 - 38,305	6
KIISA	1364	26 ³ / ₄ / 23 ¹ / ₄ / 57 ¹ / ₈	15 ¹ / ₄ / 9 ¹ / ₂	4	11,359 - 26,705	6
ZEVI	1221	25 ⁵ / ₈ / 22 ⁵ / ₈ / 52 ³ / ₄	15 ¹ / ₄ / 9 ¹ / ₂	4	11,359 - 26,705	6

* Weight and dimensions may vary slightly

OUR REPRESENTATIVES USA & Canada Tulikivi U.S., Inc., P.O. Box 7547, Charlottesville, VA 22906-7547, Tel. (800) 843 3473. **Finland & Scandinavia** Tulikivi Oyj, FI-83900 Juuka, Tel. +358 207 636 000, Fax +358 207 636 120. **Germany** Tulikivi Oyj Niederlassung Deutschland, Wernher-von-Braun-Str. 5, D-63263 Neu-Isenburg, Tel. +49 6102 74 140, Fax +49 6102 741 414. **Benelux** Dutry & Co., Vichtestraat 147, B-8540 Deerlijk, Belgium, Tel. +32 56 776 090, Fax +32 56 774 294. **France** Tulikivi Oyj, 75 avenue Parmentier, F-75011 Paris, Tel. +33 1 40 21 25 65, Fax +33 1 40 21 24 00. **Switzerland** Armaka AG, Duggingerstrasse 10, CH-4153 Reinach BL, Tel. +41 61 715 9911, Fax +41 61 715 9919. **Austria** Neuhauser-Speckstein-Öfen, Bahnhofstrasse 54, A-4810 Gmunden, Tel. +43 7612 744 58, Fax +43 7612 744 584. **Italy** Eurotrias S.r.l. - GmbH, Via G. Di Vittorio Str. 9, I-39100 Bolzano/Bozen, Tel. +39 0 471 20 16 16, Fax +39 0 471 20 16 89. **Estonia** KR-Kaubanduse AS (K-Raua ACE), Kohila 3c, EE-11314 Tallinn, Tel. +372 650 3849, Fax +372 650 3845. • Rautakesko AS, Tähetorni 100a, EE-11625 Tallinn, Tel. +372 627 504, Fax + 372 44 708 67. **Latvia** SIA Tulikivi Krasnis, Pulkveža Breža 43 LV-1045 Riga, Tel./Faks +371 738 1149. **Russia** Tulikivi Oyj, Bulevardi 22, FI-00120 Helsinki, Finland, Tel. +358 207 636 556, Fax +358 207 636 557.

TULIKIVI 
It's such a cold, cold world